


# 端子接线盒

## Terminal Block Box




端子盒有极好的绝缘性能，抗化学腐蚀和抗机械挤压的性能。达到高要求的IP66防护等级。所有的箱体都防尘、防水，能抗80度高温。产品采用高强度ABS、PC、PBT耐火材料和UV添加材料制成。外形美观大方，具有很高的可塑性和坚固性。接线端子排正常耐压400V，耐高压4KV，正常电流容量0.75mm sq.-1.5mm sq.端子规格有3P-60P多种规格满足你的选择。


The terminal block box, it is made by ABS material, Normal voltage: 400V The normal current capacity: 0.75mm sq.-15mm sq.  
Temperature range: -40°C to +120°C ABS: Acrylonitrile Butadiene Styrene PC: Poly Carbamate  
Product with hole can be used without separate processing




TB-15P-M





TB-15P-S




TB-20P-M




TB-20P-S




## Terminal Block Box




型号 (Model) : PBT-3P 尺寸 (Size) : 33×65×24mm




Dimension (允许误差 allowance ±1mm)




型号 (Model) : PBT-4P 尺寸 (Size) : 40×60×24mm



Dimension (允许误差 allowance ±1mm)




型号 (Model) : PBT-6P 尺寸 (Size) : 50×70×24mm




Dimension (允许误差 allowance ±1mm)




型号 (Model) : DS-MTB-4P 尺寸 (Size) : 50×102×40mm



Dimension (允许误差 allowance ±1mm)



型号 (Model) : DS-MTB-6P 尺寸 (Size) : 55×125×40mm





Dimension (允许误差 allowance ±1mm)

# 端子接线盒



## Terminal Block Box





型号 (Model) : DS-4P-K 尺寸 (Size) : 55×70×43mm





型号 (Model) : DS-6P-K 尺寸 (Size) : 55×91×43mm




型号 (Model) : DS-PG-10P 尺寸 (Size) : 75×110×40mm



型号 (Model) : DS-PG-15P 尺寸 (Size) : 100×180×55mm




型号 (Model) : DS-PG-15P-S 尺寸 (Size) : 100×180×75mm






## Terminal Block Box




型号 (Model) : DS-PG-20P-S 尺寸 (Size) : 100×223×75mm



Dimension (允许误差 allowance  $\pm 1$ mm)




型号 (Model) : DS-4P-M 尺寸 (Size) : 55×91×43mm



Dimension (允许误差 allowance  $\pm 1$ mm)




型号 (Model) : DS-6P-M 尺寸 (Size) : 75×91×43mm




Dimension (允许误差 allowance  $\pm 1$ mm)




型号 (Model) : DS-10P-M 尺寸 (Size) : 91×110×43mm



Dimension (允许误差 allowance  $\pm 1$ mm)



型号 (Model) : DS-PG-15P-M 尺寸 (Size) : 100×180×75mm




Dimension (允许误差 allowance  $\pm 1$ mm)




# 端子接线盒


## Terminal Block Box




型号 (Model) : DS-PG-20P-M 尺寸 (Size) : 100×223×75




Dimension (允许误差allowance±1mm)




型号 (Model) : DS-AG-30P-S 尺寸 (Size) : 150×200×100mm




Dimension (允许误差allowance±1mm)




型号 (Model) : DS-AG-30P-M 尺寸 (Size) : 200×200×95mm




Dimension (允许误差allowance±1mm)




型号 (Model) : DS-AG-40P-S 尺寸 (Size) : 150×250×100mm



Dimension (允许误差allowance±1mm)




型号 (Model) : DS-AG-40P-M 尺寸 (Size) : 200×250×100mm




Dimension (允许误差allowance±1mm)


## Terminal Block Box




型号 (Model): DS-AG-30P-S1 尺寸 (Size): 100×180×75mm




Dimension (允许误差 allowance  $\pm 1\text{mm}$ )



型号 (Model): DS-AG-40P-S1 尺寸 (Size): 100×223×75mm




Dimension (允许误差 allowance  $\pm 1\text{mm}$ )




此款使用ABS网板安装

型号 (Model): DS-AG-45P 尺寸 (Size): 380×190×100mm




Dimension (允许误差 allowance  $\pm 1\text{mm}$ )




此款使用ABS网板安装


型号 (Model): DS-AG-50P 尺寸 (Size): 380×190×100mm



Dimension (允许误差 allowance  $\pm 1\text{mm}$ )



型号 (Model): DS-AG-60P 尺寸 (Size): 380×190×100mm



Dimension (允许误差 allowance  $\pm 1\text{mm}$ )